

Certificate of Analysis

Product: Isopropyl Alcohol 99.8%

Item Number: IPAL99

Grade: Lab

Lot Number: 5001413/1.1

Manufacture Date: 06/24/2025

Expiration Date: 06/23/2027

Country of Origin: United States

Tested Property	Specification	Analysis
Isopropyl Alcohol purity, wt%	Min 99.8%	99.9%
Water, wt%	<0.1	0.03
Specific Gravity @20°C	0.7850 - 0.7870	0.787
Acidity, wt%	</=0.002	0.001
Color, Pt-Co	</= 5	Pass
Non-volatile Matter, g/100mL	</= 0.005	0.001
Refractive index @20 C	1.376-1.378	1.377
Appearance	To Pass Tests	Passes
Odor	To Pass Tests	Passes
Water miscibility	Clear and miscible	Passes

[Isopropyl Alcohol 99.8%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley