

**Certificate of Analysis****Product: Isopropyl Alcohol 99.8%****Item Number: IPAL99****Grade: Lab****Lot Number: 5001327/1.1****Manufacture Date: 02/21/2024****Expiration Date: 02/20/2027****Country of Origin: United States**

<b>Tested Property</b>	<b>Specification</b>	<b>Analysis</b>
Water, wt%	<0.1	0.01
Specific Gravity @20°C	0.7850 - 0.7870	0.786
Acidity, wt%	</=0.002	0.001
Color, Pt-Co	</= 5	5
Non-volatile Matter, g/100mL	</= 0.005	0.000
Refractive index @20 C	1.376-1.378	1.377
Appearance	To Pass Tests	Passes
Water miscibility	Clear and miscible	Passes
IBP	As reported	81.8°C
DP	As reported	82.8°C
Odor	Characteristic	Pass

[Isopropyl Alcohol 99.8%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley