

Certificate of Analysis

Product: Lithium Nitrate, Granular, Reagent Grade

Item Number: C4890

CAS#: 7790-69-4

Grade: Reagent

Lot Number: 260707-A

Manufacture Date: 10/31/2024

Expiration Date: 10/30/2029

Country of Origin: United States

Tested Property	Specification	Analysis
Assay	$\geq 99.0\%$	99.1
Sulfate	$\leq 0.05\%$	0.035
Chloride	$\leq 0.02\%$	0.015
Water	$\leq 1.0\%$	<1.0

Store in a cool, dry, and well-ventilated environment.

[Lithium Nitrate, Granular, Reagent Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley