

**Certificate of Analysis**

**Product: Methylene Blue Saturated Aqueous Solution, 1%**

**Item Number: MBTSA1**

**CAS#: 7220-79-3**

**Grade: Reagent**

**Lot Number: 5001479/1.1-1-61626**

**Manufacture Date: 06/16/2026**

**Expiration Date: 06/15/2028**

**Country of Origin: United States**

<b>Tested Property</b>	<b>Specification</b>	<b>Analysis</b>
Appearance	Blue liquid	Complies
Methylene Blue Concentration	As reported	1%

Store in a cool, dry, and well-ventilated environment.

[Methylene Blue Saturated Aqueous Solution, 1%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley