

### Certificate of Analysis

**Product: Mineral Spirits Lab Grade**  
**Item Number: MSL**  
**CAS#: 64475-85-0**  
**Grade: Lab**  
**Lot Number: 5002319/1.1**  
**Manufacture Date: 01/09/2026**  
**Expiration Date: 01/08/2028**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Odor	Characteristic of Product	Pass
API Gravity @ 60°C	48.0 - 55.5	53.3
Distillation Range, IBP	Min 300°F	316
Distillation Range, DP	380 - 415°F	406
Water	Max 500 ppm (0.05%)	51 (0.005%)
Flash TCC	Min 100°F	107
Aromatic Content	Max 1.0%	1.0

Store in a cool, dry, and well-ventilated environment.

#### [Mineral Spirits Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley