

Certificate of Analysis

Product: n-Butyl Alcohol
Item Number: NBTALCU
Grade: USP/NF
Lot Number: 5001352/1.1
Manufacture Date: 06/10/2025
Expiration Date: 06/09/2027
Country of Origin: France

Tested Property	Specification	Analysis
Assay, n-Butanol	>/= 99.50%	99.95%
Identification Test by IR	Pass the test	Pass
Identification Test B by GC	Pass the test	Pass
Acidity	</= 2.5mL of KOH consumed	0.8mL
Butyraldehyde	</= 0.1%	<0.1%
2-Butanol	</= 0.1%	<0.1%
Isobutyl Alcohol	</= 0.1%	<0.1%
Butyl Ether	</= 0.2%	<0.2%
Water Determination	</= 0.1%	0.039%
Limit of Non-Volatile Residue	</= 0.004%	<0.004%
Specific Gravity @ 25°C	0.807 - 0.809	0.807
Distillation Range	including 117.7°C max 1.5°C	Pass
Refractive index at 25°C	1.39750 - 1.39950	1.39930
Color APHA	<10	4
Appearance	Clear, colorless	Clear, colorless

[n-Butyl Alcohol](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are

Phone: 512-668-9918, Fax: 512-886-4008,
 E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley