

Certificate of Analysis

Product: Nitric Acid 10% Solution
Item Number: NAA10
Grade: Reagent
Lot Number: 5001223/1.1-10-90225
Manufacture Date: 09/02/2025
Expiration Date: 09/01/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Assay (HNO ₃), wt. %	9.5 - 10.5%	10.0%
Appearance (Color APHA)	</= 100	<100
Nitrite (NO ₂)	</=100 ppm	<100 ppm
Chlorides	</= 10 ppm	<10 ppm
Iron	</= 10 ppm	<10 ppm
Non-volatiles, wt%	</= 0.05%	<0.05%

[Nitric Acid 10% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley