

Certificate of Analysis

Product: Nitric Acid 20% Solution
Item Number: NAA20
Grade: Reagent
Lot Number: 5001461/1.1-20-11426
Manufacture Date: 01/14/2026
Expiration Date: 01/13/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Assay (HNO ₃), wt.%	19.5 - 20.5%	20.0
Appearance (Color APHA)	≤ 100	Passes
Nitrite (NO ₂)	≤100 ppm	<100
Chlorides	≤ 10 ppm	<10
Iron	≤ 10 ppm	<10
Non-volatiles, wt%	≤ 0.05%	<0.05

Store in a cool, dry, and well-ventilated place.
CAS RN: 7697-37-2

[Nitric Acid 20% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley