LAB ALLEY
ESSENTIAL CHEMICALS

Certificate of Analysis

Product: Nitric Acid 50% Solution, Lab/Technical Grade
Item Number: NAL50
CAS#: 7697-37-2
Grade: Lab,Technical
Lot Number: 5001208/1.1-50-110526
Manufacture Date: 11/05/2026
Expiration Date: 11/04/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Concentration, Nitric Acid	49 - 51%	50%
Appearance	Clear to pale yellow solution	Pass

Store in a cool, dry, and well-ventilated environment.

Nitric Acid 50% Solution, Lab/Technical Grade

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2026 Lab Alley