

Certificate of Analysis**Product: Phosphoric Acid 85% Solution, ACS Grade****Item Number: PHAA85****CAS#: 7664-38-2****Grade: ACS****Lot Number: 5002713/1.1****Manufacture Date: 04/13/2026****Retest Date : 04/12/2029****Country of Origin: United States**

Tested Property	Specification	Analysis
Appearance	Colorless & free from suspended matter or sediment	Pass
Assay	85 - 87%	85.34%
Color (APHA)	≤10	4
Insoluble matter	≤0.001%	<0.0005%
Chloride	≤3 ppm	<1 ppm
Sulfate	≤0.003%	<0.001%
Nitrate	≤5 ppm	<1 ppm
Volatile Acids (as CH ₃ COOH)	≤0.001%	<0.001%
Antimony	≤0.002%	<0.0002%
Calcium	≤0.002%	<0.00002%
Magnesium	≤0.002%	<0.00002%
Potassium	≤0.005%	<0.00002%
Sodium	≤0.025%	<0.0001%
Heavy metals (as Pb)	≤0.001%	<0.0005%
Iron	≤0.2 ppm	<0.2 ppm
Arsenic	≤1 ppm	<0.2 ppm
Manganese	≤0.5 ppm	<0.01 ppm
Reducing Substance	Passes the test	Pass

Store in a cool, dry, and well-ventilated environment.

[Phone: 512-668-9918](tel:512-668-9918), [Fax: 512-886-4008](tel:512-886-4008),
[E-mail: customercare@laballey.com](mailto:customercare@laballey.com),
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley



[Phosphoric Acid 85% Solution, ACS Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley