

Certificate of Analysis

Product: Polyvinylpyrrolidone (PVP), K-90, USP Grade, Fine Granular

Item Number: C6194

CAS#: 9003-39-8

Grade: USP

Lot Number: 260702-A

Manufacture Date: 07/01/2024

Expiration Date: 07/01/2029

Country of Origin: United States

Tested Property	Specification	Analysis
Nitrogen (FCC)	11.5 - 12.8%	Pass
K value (FCC)	81 - 97	91
Insoluble matter (FCC)	≤0.005%	0.001
Heavy Metals (as Pb) (FCC)	≤10 ppm	<5
pH of 1% Solution (USP)	4.0 - 7.0	Pass
Residue after Ignition (FCC)	≤0.4%	<0.4
Unsaturation (as vinylpyrrolidone) (FCC)	≤0.1%	<0.1
Water (FCC)	≤6.00%	<6.00
Extractable Substances (FCC)	To Pass Test (<0.005%)	Pass
Identification (FCC)	To Pass Test	Pass

Store in a cool, dry, and well-ventilated environment.

[Polyvinylpyrrolidone \(PVP\), K-90, USP Grade, Fine Granular](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley