

Certificate of Analysis

Product: Potassium Sorbate
Item Number: POSBGU
Grade: USP/FCC
Lot Number: 5000216/1.1
Manufacture Date: 03/17/2023
Expiration Date: 03/16/2026
Country of Origin: China

Tested Property	Specification	Analysis
Appearance	White small, noodle-like particles	Passes
Identification, A&B	Pass the test	Passes
Assay % on dry basis	98.0-101.0%	99.3%
Alkalinity	Passes test (<1%)	Passes Test
Acidity (as Sorbic Acid)	Passes test (<1%)	Passes Test
Loss on drying	1.0% max	0.2%
Heavy Metals	10 ppm max	<10
Lead	2 ppm max	<2
Arsenic	3 ppm max	<3

Potassium Sorbate

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley