

Certificate of Analysis**Product: SDA 40B Ethanol 190 Proof (95%)****Item Number: EAS40B190****Grade: Reagent****Lot Number: 5000940/1.1****Manufacture Date: 10/22/2024****Expiration Date: 10/21/2026****Country of Origin: United States**

Tested Property	Specification	Analysis
Appearance	Clear thin liquid, no foreign material	Passes
Color APHA	Colorless, ≤ 10	Passes
Odor	Characteristic of ethanolic odor	Passes
Specific Gravity @ 60°F	0.8144 - 0.8164	0.8153
Specific Gravity @ 25°C	0.8078 - 0.8098	0.8087
Density @ 60°F	6.782 - 6.799 lb/gal	6.790
Apparent Proof @ 60°F	189.7 - 190.7	190.2
Denatonium Benzoate (Presence)	Pass the test	Passes
Identity (GC)	Compares to standard	Passes

[SDA 40B Ethanol 190 Proof \(95%\)](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley