

Certificate of Analysis

Product: Silver Nitrate Crystals
Item Number: C7050
Grade: ACS
Lot Number: 240624-2M
Manufacture Date: 11/25/2020
Expiration Date: 11/24/2030
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	≥99.8 - 100.5%	>99.9%
Clarity of Solution	To Pass Test	Passes
Subst. not Precip. by HCl	≤0.01%	<0.01%
Free Acid	To Pass Test	Passes
Lead	≤10 ppm	<10 ppm
Copper	≤2 ppm	<1ppm
Iron	≤2ppm	<1ppm
Chloride	≤5 ppm	1 ppm
Sulfate	≤20 ppm	<10 ppm

[Silver Nitrate Crystals](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley