

Certificate of Analysis

Product: Sodium Alginate FCC/Food Grade

Item Number: C7162

CAS#: 9005-38-3

Grade: FCC

Lot Number: 260528-M

Manufacture Date: 04/04/2025

Expiration Date: 04/04/2029

Country of Origin: China

Tested Property	Specification	Analysis
Assay, based upon MW of 222.00	90.8 - 106.0%	99.59
Ash	18.0-27%	19.6
Microbial Limits	To pass test	Passes
Heavy Metals	Max 0.004%	0.001
Loss on Drying	Max. 15.0%	6.0
Arsenic (As)	Max 1.5ppm	<1
Lead (Pb)	Max 0.001%	<0.001
Residual Solvents	To pass test	Passes

Store in a cool, dry, and well-ventilated environment.

[Sodium Alginate FCC/Food Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley