

Certificate of Analysis

Product: Sodium Citrate Dihydrate
Item Number: SOCTGU
Grade: USP/FCC
Lot Number: 5001268/1.2
Manufacture Date: 02/18/2025
Expiration Date: 02/17/2028
Country of Origin: Canada

Tested Property	Specification	Analysis
Assay, %	99.0 - 100.5	100.5
Water (Loss on Drying), %	11.0 - 13.0	12.3
pH 5% solution	7.5 - 9.0	8.4
Readily Carbonisable Substances	To Pass Test	Pass
Odor	Typical, practically odorless	Pass
Appearance of Solution	Clear and Colorless	Pass
Acidity	To Pass Test	Pass
Alkalinity	To Pass Test	Pass
Heavy Metals, mg/kg	≤5	<5
Chloride, mg/kg	≤50	<50
Arsenic, mg/kg	≤1	<1
Lead, mg/kg	≤0.5	<0.5
Mercury, mg/kg	≤0.5	<0.5
Oxalic Acid / Oxalate, mg/kg	≤100	<100
Sulphate, mg/kg	≤100	<100
Tartrate	To Pass Test	Pass
Particles > Mesh 25 (0.71mm), %	≤10	Pass
Particles > 0.63mm, %	≤10	0
Particles < 0.20mm, %	≤15	10
Particles < Mesh 100 (0.150mm), %	≤15	Pass

[Phone: 512-668-9918](tel:512-668-9918), [Fax: 512-886-4008](tel:512-886-4008),
[E-mail: customercare@laballey.com](mailto:customercare@laballey.com),
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



[Sodium Citrate Dihydrate](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley