

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	Sodium Hydroxide, 1N
CAS number	1310-73-2
Synonyms	Caustic soda

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals.
-----------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals	Category 1
Skin Corrosion	Category 1A
Serious Eye Damage	Category 1

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statements

Prevention

Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Storage

Store locked up. Store in a corrosive resistant container with a resistant inner liner.

Disposal

Dipose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No information available.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Sodium Hydroxide	Caustic soda	1310-73-2	2-5%
Water	H ₂ O	7732-18-5	95-98%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

If inhaled

If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Take victim immediately to hospital.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	High volume water jet.

5.2 Specific hazards arising from the substance or mixture

Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Special protective equipment and precautions for firefighters

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Flash Point	Does not flash.
--------------------	-----------------

Autoignition Temperature

No information available

Explosion limits**Upper**

No data available

Lower

No data available

Sensitivity to Mechanical Impact

No information available

Sensitivity to Static Discharge

No information available

NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Precautions on safe handling**

Normal measures for preventive fire protection. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Hygiene measures

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of the workday.

7.2 Conditions for safe storage, including any incompatibilities**Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Recommended storage temperature: > 16 °C.

Incompatibilities

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Sodium Hydroxide	TWA	2 mg/m3
	Ceiling	2 mg/m3

US. ACGIH Threshold Limit Values

Component	Type	Value
Sodium Hydroxide	Ceiling	2 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Sodium Hydroxide	IDLH	10 mg/m3
	Ceiling	2 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

General and local exhaust ventilation is recommended to maintain vapors exposures below recommended limits.

Personal protective equipment

Eye/face protection

Eye wash bottle with pure water. Tightly fitting safety goggles. Wear face-shield and protective suit for abnormal processing problems.

Skin protection

Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	No information available.
Odor Threshold	No information available.
pH	14
Melting Point/Range	12 - 15 °C (54 - 59 °F)
Boiling Point/Range	140 -145 °C (284 - 293 °F)
Evaporation Rate	No information available.
Flammability (solid)	No information available.
Flammability or explosive limit	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Density	>1
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No information available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	NaOH
Molecular Weight	39.997
VOC Content(%)	No information available
Oxidizing properties	No information available

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Corrosive to metals. Exothermic reaction with acids.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Freezing temperatures. Heat.

10.5 Incompatible materials

Acids, metals, oxidizing agents, halogenated compound, organic nitro compounds, zinc.

10.6 Hazardous decomposition products

Hydrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	325 mg/kg (rabbit)	-	-

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Sodium Hydroxide	1310-73-2	Not listed	Not listed	Not listed	Not listed	Not listed

Specific target organ toxicity - single exposure

None known

Specific target organ toxicity - repeated exposure

None known

Reproductive toxicity

No information available

Chronic effects

No information available.

11.2 Additional Information

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Product		Species	Test Results
Sodium hydroxide	LC50	Freshwater Fish (Oncorhynchus mykiss)	45.4 mg/L, 96h static

12.2 Persistence and degradability

Soluble in water. Persistence is unlikely based on information available.

12.3 Bio accumulative potential

No information available

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances. Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A + B).

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

DOT (US)

UN-No	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

IMDG

UN-No	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

IATA

UN-No	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Listed (N-PROPYL ALCOHOL (CAS 71-23-8))

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Component RQ: 1000 lb. Calculated product RQ: 2000 lb.

SARA 304 Emergency release notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Listed. Corrosive to metals. Skin corrosion or irritation. Serious eye damage or eye irritation.

SARA 313 (TRI reporting)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Listed.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed

US state regulations

US. Massachusetts RTK - Substance List

Listed.

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Listed

California Proposition 65

Not listed

SECTION 16: Other information

Issue date: 06/17/2024

Revised on 07/03/2026

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.