

Certificate of Analysis

Product: Sodium Hypochlorite 5% Solution

Item Number: SHCN5

Grade: Lab

Lot Number: 5001416/1.1-5-72325

Manufacture Date: 07/23/2025

Expiration Date: 07/22/2027

Country of Origin: United States

| Tested Property | Specification | Analysis |
|--------------------------------|----------------------|-----------------|
| Sodium hypochlorite (NaOCl), % | 5.1 - 6.0% | 5.3 |
| Available Chlorine, % | 5.0 - 6.0% | 5.1 |
| Specific Gravity @ 25°C | 1.08- 1.11 | 1.10 |
| Sodium Hydroxide, % | 0.1 - 0.2% | 0.16 |
| Color/Clarity | Clear | Pass |
| Iron | Max 1.0 ppm | <0.5 |
| Nickel | Max 0.5 ppm | <0.5 |

[Sodium Hypochlorite 5% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley