

Certificate of Analysis

Product: Sodium Molybdate
Item Number: C7580
Grade: ACS
Lot Number: 220509-3C
Manufacture Date: 02/26/2023
Expiration Date: 02/25/2028
Country of Origin: India

Tested Property	Specification	Analysis
Description	White Crystalline powder	Pass
Assay	99.5-103.0%	99.6%
pH	7-10.5	9.5
Chloride	≤0.005%	0.003%
Sulfate	≤0.0015%	0.0010%
Ammonium	≤0.001%	<0.001%
Phosphate	≤5 ppm	<5 ppm
Heavy Metals (as Pb)	≤5 ppm	<4ppm
Iron	≤0.001%	0.001%

Sodium Molybdate

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley