

Certificate of Analysis

Product: Starch Indicator, 1% For Iodine Titration

Item Number: C7915

CAS#: 9005-84-9

Grade: Lab

Lot Number: 260518-5A

Manufacture Date: 05/18/2026

Expiration Date: 05/18/2027

Country of Origin: United States

Tested Property	Specification	Analysis
Assay (Potato Starch Reagent)	0.95 - 1.05 wt%	1.00
Deionized Water Type II	98.95 - 99.05%	99.00
Sensitivity to Iodine	To Pass Test	Passes

Store in a cool, dry, and well-ventilated environment.

[Starch Indicator, 1% For Iodine Titration](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley