

Certificate of Analysis

Product: Talcum Powder
Item Number: C8110
Grade: Lab
Lot Number: 251022-M
Manufacture Date: 12/08/2021
Expiration Date: 12/08/2041
Country of Origin: United States

Tested Property	Specification	Analysis
Identification A, B, and C	To Pass Tests	Passes
Loss on Ignition	Max 7.0%	5.54
Water Soluble Substances	Max 0.1%	0.04%
Total Microbial Content	≤100 cfu/g	Pass
Mold & Yeast	≤50 cfu/g	Pass
Acid & Alkalinity	To Pass Test	Passes
Iron	Max 0.25%	<0.25%
Magnesium	17.0 - 19.5%	18.9
Absence of Asbestos	To Meet Requirement	Passes
Calcium	≤0.9%	0.2%
Aluminum	≤2.0%	0.6%
Lead	≤10 ppm	<0.3ppm

Not for pharmaceutical/API use.

[Talcum Powder](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for

Phone: 512-668-9918, Fax: 512-886-4008,
 E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley



particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737.
© copyright: 2026 Lab Alley