

Certificate of Analysis

Product: Talcum Powder, Lab Grade

Item Number: TALCGL

CAS#: 14807-96-6

Grade: Lab

Lot Number: 5002663/1.1

Manufacture Date: 10/14/2022

Expiration Date: 10/13/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	As Reported	White Powder
Water Soluble Substances	Max. 0.1%	0.01%
+325 Mesh	1.5 - 3.5%	2.5%
Loss on Ignition	Max. 7%	5.43%
Microbiological Count	10 - 100 cfu/g	10 cfu/g
Total Molds and Yeasts	10 - 50 cfu/g	10 cfu/g
Tap Density	As Reported	0.8 g/mL
Iron	Max 0.25%	0.25%
Magnesium	17 - 19.5%	18.8%
Aluminum	Max 2%	0.5%
Calcium	Max 0.9%	0.1%
Lead	Max 10 ppm (0.001%)	0.3 ppm
Acid Soluble Substances	Max. 2%	1.3%
Acidity and Alkalinity	To Pass the Test	Pass
Arsenic	Max 4 ppm	Pass
ID by Infrared Absorption	To Pass the Test	Pass

Store in a cool, dry, and well-ventilated environment.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737,

© copyright: 2026 Lab Alley



[Talcum Powder, Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley