

Certificate of Analysis

Product: Talcum Powder
Item Number: C8111
Grade: USP
Lot Number: 250422-M
Manufacture Date: 02/06/2024
Expiration Date: 02/05/2029
Country of Origin: United States

Tested Property	Specification	Analysis
Identification A, B, and C	To Pass Tests	Passes
+325 Mesh	1.5 - 3.5%	1.7
Loss on Ignition	Max 7.0%	5.45
Water Soluble Substances	Max 0.1%	0.03
Microbial Content	10-100 cfu/g	10
Mold & Yeast	10-50 cfu/g	10
Acid & Alkalinity	To Pass Test	Passes
Arsenic	≤4ppm	<4
Iron	Max 0.25%	0.03
Lead	Max 10 ppm	<3
Magnesium	17.0 - 19.5%	18.8
Asbestos	Passes Method B	Passes
Tap Density	As reported, g/mL	0.8
Calcium	≤0.9%	0.2
Aluminum	≤2.0%	0.6

Not for pharmaceutical/API use.

[Talcum Powder](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley