

Certificate of Analysis**Product: tert-Butyl Alcohol 99% ACS Grade****Item Number: TBTALCA****Grade: ACS****Lot Number: 5002049/1.1****Manufacture Date: 08/25/2025****Expiration Date: 08/14/2027****Country of Origin: United States**

Tested Property	Specification	Analysis
Appearance	Clear	Pass
Assay, Gas Chromatography	99.00 - 100.00 Wt. %	99.51 Wt. %
Residue after Evaporation	Max 0.003%	Pass
Titration Acid	Max 0.001 meq/g	Pass
Carbonyl Compounds (as HCHO)	Max 0.01%	Pass
Water in Volatile Solvents	Max 0.1%	0.097%
Specific Gravity @ 25°C	0.770 - 0.785	0.781
Refractive Index @ 25°C	1.38200 - 1.39000	1.38750

Store in a cool, dry, and well-ventilated environment.
CAS RN: 75-65-0

[tert-Butyl Alcohol 99% ACS Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley