

Certificate of Analysis

Product: Toluene
Item Number: TOLL
Grade: Lab
Lot Number: 5000696/1.1
Manufacture Date: 05/28/2024
Expiration Date: 05/27/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear liquid, substantially free from foreign material	Pass
Color, APHA	Max 20	<20
Toluene, wt%	Min 99.5	100.0
Non-Aromatics, wt %	Max 0.3	<0.0006
Benzene, wt%	Max 0.03	<0.0006
Distillation Range	Max 1.0°C	0.5°C
Water, % (ppm)	Max 0.01 (500)	0.02 (145)
Copper Corrosion	Pass (1A or 1B)	Pass
Acid wash color	Max 2	0

This document was electronically generated and is valid without a signature.

[Toluene](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley