

Certificate of Analysis

Product: Xylenes
Item Number: XLA
Grade: ACS
Lot Number: 5001425/1.2
Manufacture Date: 07/01/2025
Expiration Date: 06/30/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear colorless liquid	Pass
Assay	>98.50%	99.97%
Color APHA	Max 10	5
Residue after evaporation	Max 0.002%	<0.0001
Substance darkened by H2SO4 (ACS)	To pass the test	Pass
Sulfur Compounds	Max 0.003%	<0.0015%
Water	Max 0.05%	<0.01%
Boiling Range	137 C - 144 C	Pass

[Xylenes](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley