

**PRODUCT SPECIFICATION SHEET**  
**Calcium Chloride, Anhydrous, FCC Grade, Pellets**  
**Product Specifications**

Test	Specification	Typical Results
Calcium Chloride	$\geq 93.0\%$	93.9%
Fluoride	$\leq 0.004\%$	$< 0.001\%$
Lead	$\leq 5$ mg/kg	$< 5$ mg/kg
Magnesium & Alkali Salts	$\leq 5.0\%$	4.0%
Acid Insoluble Matter	$\leq 0.02\%$	$< 0.01\%$
Acid Insoluble Particle Size	To Pass Test	Pass
Arsenic	$\leq 3$ mg/kg	$< 3$ mg/kg
Passing U.S. Std #4 Sieve	$\geq 98\%$	100%
Passing U.S. Std #30 Sieve	$\leq 5\%$	0%

Appropriate/legal use of this product is the responsibility of the user.

[Calcium Chloride, Anhydrous, FCC Grade, Pellets](#)

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com)  
[www.laballey.com](http://www.laballey.com)

12501 Pauls Valley Road, Suite A, Austin, Texas 78737  
© 2023 Lab Alley