



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Hydrochloric Acid 6N Solution

CAS number 7647-01-0

Synonyms Muriatic Acid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory Chemicals

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC
12501 Pauls Valley Road
Austin, Texas 78737
U.S.A.

Telephone 512-668-9918

Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals	Category 1
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity - single exposure	Category 3

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

May be corrosive to metals.
Causes skin irritation.
Causes serious eye damage.

Precautionary statements

Prevention: Keep only in original container. Wear eye/face protection. Wear protective gloves. Wash face, hands, and any exposed skin thoroughly after handling.
IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Storage: Store in corrosive resistant polypropylene container with a resistant inliner.
Disposal: Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	H ₂ O, Aqua	7732-18-5	78.0-78.5%
Hydrochloric acid	Muriatic Acid	7647-01-0	21.5-22.0%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled

Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.

In case of skin contact

Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

If swallowed Do not induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause skin irritation and/or dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist, call a physician. Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable extinguishing media No information available.

5.2 Specific hazards arising from the substance or mixture

Non-combustible; substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. Hazardous Combustion Products: Hydrogen chloride gas.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.

Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. See Section 12 for additional ecological information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Corrosives area.

Incompatibilities

Metals, Oxidizing agents, Reducing agents, Aldehydes.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Hydrochloric acid	Ceiling	5 ppm 7 mg/m ³
	(Vacated) Ceiling	5 ppm 7 mg/m ³

US. ACGIH Threshold Limit Values

Component	Type	Value
Hydrochloric acid	TLV	2 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Hydrochloric acid	IDLH	50 ppm
	Ceiling	5 ppm 7 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment**Eye/face protection**

Wear appropriate protective eyeglasses or chemical safety goggles, as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear

Odor	Pungent
Odor Threshold	No information available
pH	1
Melting Point/Range	-74°C / -101.2°F
Boiling Point/Range	81.5 - 110°C / 178.7230°F@ 760 mmHg
Evaporation Rate	> 1.00 (Butyl Acetate = 1.0)
Flammability (solid)	Not applicable
Flammability or explosive limit	
Upper	No data available
Lower	No data available
Vapor Pressure	5.7 mmHg @ 0 °C
Vapor Density	1.26 (Air = 1.0)
Density	1.0 - 1.2
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	HCl
Molecular Weight	36.46 g/mol
VOC Content(%)	No information available
Oxidizing properties	No information available

9.2 Other safety information No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products. Excess heat.

10.5 Incompatible materials

Metals, Oxidizing agents, Reducing agents, Aldehydes.

10.6 Hazardous decomposition products

Hydrogen chloride gas.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	-

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/eye irritation

Causes eye burns.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

Mutagenic effects have occurred in microorganisms.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Hydrochloric acid	7647-01-0	Group 3	Not listed	Not listed	Not listed	Not listed

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

Experiments have shown reproductive toxicity effects on laboratory animals.

Chronic effects

No information available.

11.2 Additional Information

See actual entry in RTECS for complete information.

SECTION 12: Ecological information

12.1 Toxicity

Component	Species	Test Results
Hydrochloric acid	Freshwater Fish	LC50 = 282 mg/L 96 h

12.2 Persistence and degradability

Persistence is unlikely based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID
Hazard Class	8
Packaging Group	III

IMDG

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID
Hazard Class	8
Packaging Group	III

IATA

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID
Hazard Class	8
Packaging Group	III

SECTION 15: Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Hydrochloric acid (CAS# 7647-01-0), RQ: 5000 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not applicable.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Acute Health Hazard.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Hydrochloric acid (CAS# 7647-01-0).

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Hydrochloric acid (CAS# 7647-01-0).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Hydrochloric acid (CAS# 7647-01-0).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Hydrochloric acid (CAS# 7647-01-0).

California Proposition 65

Not listed.

SECTION 16: Other information

Date of Issue: 9/29/2025

Revision Date: 7/16/2026

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.